


The following listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented): A method for treating inflammation in a patient comprising administering a therapeutically effective amount of a compound of formula I or a physiologically compatible salt thereof to said patient




in which

R^1 and R^2 are the same or different and stand for a hydrogen atom, a C_1 - C_5 alkyl group, or, together with the C-atom of the chain, stand for a ring with a total of 3-7 links,

R^3 stands for a straight-chain or branched C_1 - C_5 alkyl group or a straight-chain or branched, partially or completely fluorinated C_1 - C_5 alkyl group,

A stands for the group



(the dashed line means the interface site), in which

R^4 to R^8 are the same or different from one another and mean

a hydrogen atom, a halogen atom, a cyano group, a nitro group, a COOR^9 group

whereby R^9 stands for a hydrogen atom, a straight-chain

or branched $\text{C}_1\text{-C}_5$ alkyl group or a benzyl group,

a CONR^{10} group,

whereby R^{10} stands for a hydrogen atom or a straight-chain or branched $\text{C}_1\text{-C}_5$ alkyl group,

an NHR^{11} group,

whereby R^{11} stands for a hydrogen atom, a straight-chain or branched $\text{C}_1\text{-C}_5$ alkyl group, a straight-chain or branched,

partially or completely fluorinated $\text{C}_1\text{-C}_5$ alkyl group, a $\text{C}_1\text{-C}_5$ acyl group, an $-\text{SO}_2\text{-(C}_1\text{-C}_5\text{)}$ alkyl group or an $-\text{SO}_2\text{-phenyl}$ group that is optionally substituted by halogen or a $\text{C}_1\text{-C}_5$ alkyl group,

a straight-chain or branched $\text{C}_1\text{-C}_5$ alkyl group, a

straight-chain or branched $\text{C}_2\text{-C}_5$ alkenyl group, a straight-chain or

branched $\text{C}_2\text{-C}_5$ alkynyl group, a straight-chain or branched $\text{C}_1\text{-C}_5$ alkyl group that is partially or completely substituted by fluorine atoms, a $\text{C}_1\text{-C}_5$ acyl group, an aryl radical or a heteroaryl radical,


or

R^4 and R^5 together with the two carbon atoms of ring A mean


a saturated or unsaturated carbocyclic ring with a total of 5-7 links,

Ar stands for a ring system, selected from the group of

general partial formula 1 or 2,



1



2

in which

radicals X^{3a}, X^{3b}, X⁴, X⁶, X⁷ (in partial formula 1) and Y⁴,

Y⁵, Y⁷, and Y⁸ (in partial formula 2) are the same or different and mean a

hydrogen atom, a straight-chain or branched C₁-C₅ alkyl group, or a

straight-chain or branched, partially or completely fluorinated C₁-C₅ alkyl group,

radicals X⁴, X⁶, X⁷ (in partial formula 1) or Y⁵, Y⁷, Y⁸ (in partial formula 2) in

addition are the same or different and mean a hydrogen atom, a halogen atom, a hydroxy group, a C₁-C₅ alkoxy group or a C₁-C₅ alkanoyloxy group,

as well as their racemates or separately present stereoisomers.

2. (Cancelled)

3. (Cancelled)

4. (Cancelled)


5. (Cancelled)

6. (Cancelled): A method according to claim 4, wherein said composition contains one or more pharmaceutically compatible vehicles.

7. (Cancelled):

8. (Cancelled)

9. (Previously Presented): A method for treating an inflammatory, allergic or proliferative process in a patient comprising administering to said patient a therapeutically effective amount of a compound of formula I




I

in which

R¹ and R² are the same or different and stand for a hydrogen atom, a C₁-C₅ alkyl group, or, together with the C-atom of the chain, stand for a ring with a total of 3-7 links,

R³ stands for a straight-chain or branched C₁-C₅ alkyl group or a straight-chain or branched, partially or completely fluorinated C₁-C₅ alkyl group,

A stands for the group



(the dashed line means the interface site), in which

R^4 to R^8 are the same or different from one another and mean a hydrogen atom, a

halogen atom, a cyano group, a nitro group, a COOR^9 group

whereby R^9 stands for a hydrogen atom, a straight-chain

or branched $\text{C}_1\text{-C}_5$ alkyl group or a benzyl group,

a CONR^{10} group,

whereby R^{10} stands for a hydrogen atom or a straight-chain or

branched $\text{C}_1\text{-C}_5$ alkyl group,

an NHR^{11} group,

whereby R^{11} stands for a hydrogen atom, a straight-chain or

branched $\text{C}_1\text{-C}_5$ alkyl group, a straight-chain or branched, partially

or completely fluorinated $\text{C}_1\text{-C}_5$ alkyl group, a $\text{C}_1\text{-C}_5$ acyl group,

an $\text{-SO}_2\text{-(C}_1\text{-C}_5\text{)}$ alkyl group or an $\text{-SO}_2\text{-phenyl}$ group that is

optionally substituted by halogen or a $\text{C}_1\text{-C}_5$ alkyl group,

a straight-chain or branched $\text{C}_1\text{-C}_5$ alkyl group, a straight-chain or

branched $\text{C}_2\text{-C}_5$ alkenyl group, a straight-chain or branched $\text{C}_2\text{-C}_5$


alkynyl group, a straight-chain or branched $\text{C}_1\text{-C}_5$ alkyl group that

is partially or completely substituted by fluorine atoms, a $\text{C}_1\text{-C}_5$

acyl group, an aryl radical or a heteroaryl radical, or

R^4 and R^5 together with the two carbon atoms of ring A mean a saturated or unsaturated carbocyclic ring with a total of 5-7 links,

Ar stands for a ring system, selected from the group of general partial formula 1 or 2,



in which

radicals X^{3a} , X^{3b} , X^4 , X^6 , X^7 (in partial formula 1) and Y^4 , Y^5 , Y^7 , and Y^8 (in partial formula 2) are the same or different and mean a hydrogen atom, a straight-chain or branched C_1 - C_5 alkyl group, or a straight-chain or branched, partially or completely fluorinated C_1 - C_5 alkyl group, radicals X^4 , X^6 , X^7 (in partial formula 1) or Y^5 , Y^7 , Y^8 (in partial formula 2) in addition are the same or different and mean a hydrogen atom, a halogen atom, a hydroxy group, a C_1 - C_5 alkoxy group or a C_1 - C_5 alkanoyloxy group,

as well as their racemates or separately present stereoisomers, and

wherein said process is a lung disease, rheumatic disease, auto-immune disease, degenerative joint disease, allergy, vascular disease, dermatological disease, nephropathy, liver disease, gastrointestinal disease, proctological disease, eye disease, disease of the

ear-nose-throat, neurological disease, blood disease, tumor disease, endocrine disease, transplant, severe shock condition, vomiting, substitution therapy with suprarenal insufficiency, or pain with inflammatory origins.

10. (Previously Presented): A method according to claim 1, wherein said compound is

6-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(2-chloro-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-
4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-cyano-5-fluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethenyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-phenylphenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-{5-fluoro-2-(furan-2'-yl)phenyl}-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-
methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-
methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-
methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-
methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-
4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-
4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-
amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-
trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(-) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

(+) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-phthalide

(-) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-phthalide

(+) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-phthalide

5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

(-) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

(+) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-phthalide

6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-
valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(-) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(+) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

or physiologically compatible salts thereof.

11. (Previously Presented): A method according to claim 9, wherein said compound is

6-[4-(5-Fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-methylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(2-chloro-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(5-fluoro-2-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

6-[4-(3-fluoro-4-nitrophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(indan-4'-yl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(5-fluoro-2-vinylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(4-trifluoromethylphenyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-cyano-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethenyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-ethyl-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-phenylphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-{5-fluoro-2-(furan-2'-yl)phenyl}-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-2-trifluoromethyl-4-(1-naphthyl)-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-4-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-6-fluoro-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-dichlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-bromo-2-chlorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-chloro-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylhexanoylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,4-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,5-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,5-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2,3,4-trifluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(3-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-chloro-2-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-fluoro-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-bromophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(4-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-fluoro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[4-(5-chloro-2-trifluoromethyl-phenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-chlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chlorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-4-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-chloro-5-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,4-dichlorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2-trifluoromethyl-phenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(5-fluoro-2-trifluoromethyl-phenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl]-amino-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclopentyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-fluorophenyl)-cyclohexyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[3-{1-(2,3-difluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,5-difluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2,3,5-trifluorophenyl)-cyclobutyl}-2-hydroxy-2-trifluoromethylpropionyl-amino]-4-methyl-2,3-benzoxazin-1-one

6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(-)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

(+)-6-[3-{1-(2-bromophenyl)-cyclopropyl}-2-hydroxy-2-trifluoromethylpropionylamino]-4-methyl-2,3-benzoxazin-1-one

6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[2-hydroxy-4-methyl-4-(3-methyl-2-nitrophenyl)-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

(-) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

(+) 5-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-phthalide

6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroyl-amino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-amino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-4-methyl-2,3-benzoxazin-1-one

5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(-) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(+) 5-[4-(2-acetylamino-5-fluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(-) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethylvaleroylamino]-phthalide

(+) 5-[4-(5-fluoro-2-mesylaminophenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-phthalide

6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-methoxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2-bromo-3-hydroxyphenyl)-2-hydroxy-4-methyl-2-trifluoromethyl-valeroylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,3-difluorophenyl)-2-hydroxy-4-methyl-2-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(-) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

(+) 6-[4-(2,6-difluorophenyl)-2-hydroxy-4-methyl-4-trifluoromethylcaproylamino]-4-methyl-2,3-benzoxazin-1-one

6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(-) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

(+) 6-{3-[4-(2-chloro-5-fluorophenyl)-tetrahydropyran-4-yl]-2-hydroxy-2-trifluoromethylpropionylamino}-4-methyl-2,3-benzoxazin-1-one

or physiologically compatible salts thereof.

12. (Previously Presented): A method according to claim 1, wherein Ar is of partial formula 2, and Y⁴ is methyl.

13. (Presently Presented): A method according to claim 1, wherein Ar is of partial formula 2, Y⁴ is methyl, and Y⁵, Y⁷ and Y⁸ are each hydrogen.

14. (Presently Presented): A method according to claim 1, wherein said compound is a 2,3- benzoxazin-1-one.
15. (Currently Amended): A method according to claim 1, ~~wherein said compound~~ Ar is a 4-methyl-2,3- Benzoxazin-1-one.
16. (Previously Presented): A method according to claim 1, wherein R⁴ is methyl, chloro, nitro, vinyl, bromo, cyano, ethenyl, ethyl, phenyl, furanyl, fluoro, trifluoromethyl, amino, acetylamino, or mesylamino.
17. (Previously Presented): A method according to claim 1, wherein R⁵ is H, fluoro, chloro, methoxy, hydroxy, or methyl.
18. (Previously Presented): A method according to claim 1, wherein R⁵ is H.
19. (Previously Presented): A method according to claim 17, wherein R⁵ is H.
20. (Previously Presented): A method according to claim 1, wherein R⁶ is H, nitro, trifluoromethyl, fluoro, chloro, or bromo.
21. (Previously Presented): A method according to claim 1, wherein R⁶ is H.
22. (Previously Presented): A method according to claim 17, wherein R⁶ is H.
23. (Previously Presented): A method according to claim 1, wherein R⁷ is H, fluoro, or chloro.
24. (Previously Presented): A method according to claim 1, wherein R⁷ is H.
25. (Previously Presented): A method according to claim 17, wherein R⁷ is H.

26. (Previously Presented): A method according to claim 1, wherein R^7 is F.
27. (Previously Presented): A method according to claim 17, wherein R^7 is F.
28. (Previously Presented): A method according to claim 1, wherein R^8 is H or fluoro.
29. (Previously Presented): A method according to claim 1, wherein R^8 is H.
30. (Previously Presented): A method according to claim 17, wherein R^8 is H.
31. (Previously Presented): A method according to claim 1, wherein R^6 , R^7 , and R^8 are each H.
32. (Previously Presented): A method according to claim 1, wherein said compound is administered in an amount of $1\mu\text{g}$ to $100,000\mu\text{g}$ per kg of body weight.
33. (Previously Presented): A method according to claim 1, wherein said compound is administered in the form of a composition comprising said compound and a vehicle.
34. (Previously Presented): A method according to claim 9, wherein Ar is of partial formula 2, and Y^4 is methyl.
35. (Previously Presented): A method according to claim 9, wherein Ar is of partial formula 2, Y^4 is methyl, and Y^5 , Y^7 and Y^8 are each hydrogen.
36. (Previously Presented): A method according to claim 9, wherein said compound is a 2,3- Benzoxazin-1-one.

37. (Previously Presented): A method according to claim 9, wherein said compound is a 4-methyl-2,3- Benzoxazin-1-one.

38. (Previously Presented): A method according to claim 9, wherein R⁴ is methyl, chloro, nitro, vinyl, bromo, cyano, ethenyl, ethyl, phenyl, furanyl, fluoro, trifluoromethyl, amino, acetylamino, or mesylamino.

39. (Previously Presented): A method according to claim 9, wherein R⁵ is H, fluoro, chloro, methoxy, hydroxy, or methyl.

40. (Previously Presented): A method according to claim 9, wherein R⁵ is H.

41. (Previously Presented): A method according to claim 39, wherein R⁵ is H.

42. (Previously Presented): A method according to claim 9, wherein R⁶ is H, nitro, trifluoromethyl, fluoro, chloro, or bromo.

43. (Previously Presented): A method according to claim 9, wherein R⁶ is H.

44. (Previously Presented): A method according to claim 39, wherein R⁶ is H.

45. (Previously Presented): A method according to claim 9, wherein R⁷ is H, fluoro, or chloro.

46. (Previously Presented): A method according to claim 9, wherein R⁷ is H.

47. (Previously Presented): A method according to claim 39, wherein R⁷ is H.

48. (Previously Presented): A method according to claim 9, wherein R⁷ is F.

49. (Previously Presented): A method according to claim 39, wherein R⁷ is F.

50. (Previously Presented): A method according to claim 9 wherein R⁸ is H or fluoro.
51. (Previously Presented): A method according to claim 9, wherein R⁸ is H.
52. (Previously Presented): A method according to claim 39, wherein R⁸ is H.
53. (Previously Presented): A method according to claim 9, wherein R⁶, R⁷, and R⁸ are each H.
54. (Previously Presented): A method according to claim 9, wherein said compound is administered in an amount of 1μg to 100,000μg per kg of body weight.
55. (Previously Presented): A method according to claim 9, wherein said compound is administered in the form of a composition comprising said compound and a vehicle.